

Tel: 020 8453 9700

Web: www.memory-express.co.uk Email: sales@memory-express.co.uk



Zebra 110 XiIII High End Thermal Printer, 200 dpi 8 dot, 104mm Print Width, 16MB Ram, 4MB Flash, ZPL, Serial, Parallel, USB Cutter





The entry-level printer in the High Performance line, Zebra's 110XillIPlus is a true 4 inch (102 mm) performance printer. This hardworking printer is the one to call on for heavy-duty, industrial operations. The 110XillIPlus printer is available with either 4.09 inch (104 mm) or 3.2 inch (81 mm) widths. Choose the resolution that best meets your needs, either 200, 300, or 600 dpi (8, 12, or 23.5 dots per mm). When choosing resolution, note that 600 dpi (23.5 dots per mm) is only available with 3.2 inch (81 mm) width and 4 inch (102 mm) per second speed.

The 110XillIPlus printer is ideal for a variety of applications, including top-side and bottom-side circuit board labeling, product identification labels, serial plate labels, product labels, surgical tools and equipment, diagnostic kits, and vials and slides.

Mono or Colour Printer Mono

Printer Resolution True 200dpi x 200dpi Speed Monochrome 254mm per second Paper Size 104mm x 911mm

Dimensions 26.35cm (W) x 49.53cm (D) x 39.37cm (H) - Weight 22.7kg

Features

- * Ultra compact size
- * RFID Ready
- * Handles everything from paper to specialty label/tag stocks
- * Satisfies high-volume label requirements
- * Offers a wide range of connectivity solutions
- * Print methods: Thermal transfer or direct thermal
- * Construction: 12-gauge steel frame
- * Single 32 bit 133 Mhz RISC processor
- * 16 MB SDRAM; 4 MB non-volatile Flash memory
- * Advanced media/ribbon counter
- * Enhanced Alert notification monitors printhead condition

Tel: 020 8453 9700

Web: www.memory-express.co.uk Email: sales@memory-express.co.uk



Zebra 110 XiIII High End Thermal Printer, 200 dpi 8 dot, 104mm Print Width, 16MB Ram, 4MB Flash, ZPL, Serial, Parallel, USB Cutter





- * 300 unique darkness settings
- * USB 2.0 port
- * Ideal for: Life Sciences Electronics Product ID
- * Serial and parallel ports
- * Multilingual backlit LCD display
- * PCMCIA socket
- * Transmissive and reflective media sensors
- * Multi-level Element Energy Equalizer (E3) for superior print quality
- * CompactFlash (up to 1 GB memory) for added label format/font storage
- * Zebra printer driver for Win 95/98, Win ME, Win NT 4.0, Win 2000, and Win XP
- * Zebra Printer Management
- * Rugged construction
- * Optimal productivity
- * Print method: Direct thermal (LP)
- * Construction: ABS double-walled casing
- * OpenACCESS design
- * Head-up sensor
- * Windows drivers (95, 98, Me, NT4.0, NT2000, XP)
- * Windows printer utilities

Specification

General

The entry-level printer in the High Performance line, Zebra's 110XillIPlus is a true 4 inch (102 mm) performance চিল্লেনির্ভাগিত কর্মানির ক্রিকেন্স্রিটির ক্রিটির ক্রিকেন্স্রিটির ক্রিকেন্স্রেটির ক্রিকেন্স্রিটির ক্রিকেন্স্রিটির ক্রিকেন্স্রিটির ক্রিকেন্স্রেটির ক্রিকেন্স্রিটির ক্রিকেন্স্রিটির ক্রিকেন্স্রেটির ক্রিটির ক্রিকেন্স্রেটির ক্রিটির ক্রিকেন্স্রেটির ক্রিটির ক্র



Tel: 020 8453 9700

Web: www.memory-express.co.uk Email: sales@memory-express.co.uk



Zebra 110 XiIII High End Thermal Printer, 200 dpi 8 dot, 104mm Print Width, 16MB Ram, 4MB Flash, ZPL, Serial, Parallel, USB Cutter





The 110XillIPlus printer is ideal for a variety of applications, including top-side and bottom-side circuit board labeling, product identification labels, serial plate labels, product labels, surgical tools and equipment, diagnostic kits, and vials and slides.

Printer

Mono or Colour Printer Mono

Printer Type Thermal Tape

Print Method Thermal transfer or direct thermal

Printer Resolution True 200dpi x 200dpi Speed Monochrome 254mm per second

Paper Handling

Paper Size 104mm x 911mm

Media Supported Maximum label and liner width: .79 inches (20 mm) to 4.5 inches

(114 mm) Maximum roll diameter: 8 inches(203 mm) Core diameter: 3 inches (76 mm) Media thickness: .003 inches (.076 mm) to .012 inches (.305 mm) Media types: continuous, die-cut, black mark Ribbon Characteristics: Outside diameter 3.2 inches (81.3 mm) Standard length: 1,476 feet (450 m) or 984 feet (300 m) Ratio 3:1 and 2:1 media roll to ribbon ratios Ribbon width: 200 dpi: .79 inches (20 mm) to 4.33 inches (110 mm) 300 dpi: .79 inches (20 mm) to 4.33 inches (110 mm) 600 dpi: .79 inches (20 mm) to 3.4 inches (87 mm) Ribbon setup: Ribbon wound ink

side out ID Core: 1.0 inches (25.4 mm)

CPU

CPU Type 32 bit RISC processor 133MHz

Memory

Memory Size 16MB SDRAM

Flash (ROM) 4MB

Interfaces Ports

USB Ports 1 x USB 2.0



Tel: 020 8453 9700

Web: www.memory-express.co.uk Email: sales@memory-express.co.uk



Zebra 110 XiIII High End Thermal Printer, 200 dpi 8 dot, 104mm Print Width, 16MB Ram, 4MB Flash, ZPL, Serial, Parallel, USB Cutter





Serial Ports 1 x RS-232 - 9 Pin D-Sub

Parallel Ports 1 x 25-pin D-Sub (with EPP and ECP)

Enhanced Input/Output Slots 1 x PCMCIA socket

System

Supported Bar Codes/Symbologies Linear: Codabar Code 11 Code 39 Code 93 EAN-13 EAN-8

Industrial 2-of-5 Interleaved 2-of-5 Logmars MSI Planet Code Plessey Postnet Standard 2-of-5 UPC and EAN 2 or 5 digit extensions UPC-A UPC-E ISBT-128 Code 128 with subsets A/B/C and UCC case codes 2-dimensional: Codablock Code 49 Data Matrix MaxiCode PDF417 QR Code RSS TLC 39 MicroPDF

Drivers Zebra printer driver for Win 95/98, Win ME, Win NT 4.0, Win 2000,

and Win XP

Printer Languages ZPL, ZPL II

Font Capabilities Bitmap fonts A through H and GS symbols are expandable up to 10

times, height and width independent Smooth scalable font (CG Triumvirate Bold Condensed) is expandable dot-by-dot, height and width independent IBM Code Page 850 International Characters Support user-defined fonts and graphics - including custom logos ZPL II drawing commands - including boxes, circles, and diagonal

lines

Compliance

Certifications BSMI CCC C-Tick cUL EN55022 Class B EN55024

EN61000-3-2,3 FCC Class B GOST-R ICES-003 Class B IEC

60950-1/EN60950 MIC NOM S Mark VCCI ZIK

Electrical

Power Adaptor Type External
Power Adaptor Output Voltage 20VDC

Voltage/Power/Frequency 100 to 240VAC / 50 to 60Hz

Power Cord UK Supplied

Environmental

Environmental Operating Temperature 5 to 40C - Humidity 20 to 85%



Tel: 020 8453 9700

Web: www.memory-express.co.uk Email: sales@memory-express.co.uk



Zebra 110 XiIII High End Thermal Printer, 200 dpi 8 dot, 104mm Print Width, 16MB Ram, 4MB Flash, ZPL, Serial, Parallel, USB Cutter





Physical

Case Colour Grey

Dimensions 26.35cm (W) x 49.53cm (D) x 39.37cm (H) - Weight 22.7kg

Tel: 020 8453 9700

Web: www.memory-express.co.uk Email: sales@memory-express.co.uk



Zebra 110 XiIII High End Thermal Printer, 200 dpi 8 dot, 104mm Print Width, 16MB Ram, 4MB Flash, ZPL, Serial, Parallel, USB Cutter





Options

Printer labels

Zebra	880738-025	Zebra Z-Perform 1000D Uncoated Direct Thermal Labels (76 \times 25 mm)	74.33	VIEW>
Zebra	66090	Zebra 8000T All-Temp $101.6 \times 63.5 \text{ mm}$ Premium Coated Thermal Transfer Label	83.67	VIEW>
Zebra	880330-019	Zebra Z-Ultimate 3000T White Premium Gloss Polyester Thermal Transfer Labels (32 \times 19 mm)	403.67	VIEW>
Zebra	76014	Zebra Z-Ultimate 3000T Premium Gloss White Polyester Labels (69.85 \times 31.75 mm)	423.67	VIEW>
Zebra	880372-025	Zebra Z-Ultimate 3000T Silver Gloss Polyester Thermal Transfer Labels ($50.8 \times 25.4 \text{ mm}$)	471.67	VIEW>
Zebra	880018-127	Zebra Z-Perform 1000T 76.2 \times 127 mm Uncoated Thermal Transfer Labels	67.67	VIEW>
Zebra	86909	Zebra PolyO 3000T 101.6 x 152.4 mm Thermal Transfer Label	Call us	VIEW>
Zebra	ZBAND1	Zebra Z-Band 4000 Kit 25.4×279.4 mm White Thermal Transfer Polyester Wristbands (1590 Labels Per Kit)	278.33	VIEW>
Zebra	76181	Zebra Z-Perform 1000T 101.6 \times 165.1 mm Uncoated Thermal Transfer Labels	53.00	VIEW>
Zebra	880344-025	Zebra Z-Ultimate 3000T 76.2mm x 25.4mm 5180 Labels per Roll (White)	341.00	VIEW>
Zebra	880026-127	Zebra Z-Perform 1000T 101.6 \times 127 mm Uncoated Thermal Transfer Labels	55.67	VIEW>
Zebra	3006255	Zebra Z-Perform 1000D Uncoated Direct Thermal Labels (76 \times 152 mm)	78.33	VIEW>
Zebra	66088	Zebra 8000T All-Temp $101.6 \times 152.4 \text{mm}$ Premium Coated Thermal Transfer Label	81.00	VIEW>
Zebra	880328-012	Zebra Z-Ultimate 3000T White Premium Gloss Polyester Thermal Transfer Labels (25.4 \times 12.7 mm)	318.33	VIEW>
Zebra	76013	Zebra Z-Ultimate 3000T (51mm x 32mm)	418.33	VIEW>
Zebra	880350-101	Zebra Z-Ultimate 3000T White Premium Gloss Polyester Thermal Transfer Labels ($101.6 \times 101.6 \text{ mm}$)	282.33	VIEW>

Tel: 020 8453 9700

Web: www.memory-express.co.uk Email: sales@memory-express.co.uk



Zebra 110 XiIII High End Thermal Printer, 200 dpi 8 dot, 104mm Print Width, 16MB Ram, 4MB Flash, ZPL, Serial, Parallel, USB Cutter





Zebra	880350-050	Zebra Z-Ultimate 3000T 102mm x 51mm (2740 Labels per Roll)	285.00	VIEW>
Zebra	76535	Zebra Z-Ultimate 3000T 50.8 \times 25.4 mm 5249 Labels per Roll (White)	414.33	VIEW>
Zebra	880378-044	Zebra Z-Ultimate 3000T Silver Gloss Polyester Thermal Transfer Labels ($69.85 \times 44.45 \text{ mm}$)	447.67	VIEW>
Zebra	76180	Zebra Z-Perform 1000T 101.6 x 152.4 mm Uncoated Thermal Transfer Labels	55.67	VIEW>
Zebra	3005093	Zebra Z-Perform 1000D Uncoated Direct Thermal Labels (100 \times 210 mm)	65.00	VIEW>
Zebra	76642	Zebra Z-Perform 1000T 190 Tag 86×54 mm (2477 Labels per Roll)	63.67	VIEW>
Zebra	880026-050	Zebra Z-Perform 1000T 101.6 x 50.8 mm Uncoated Thermal Transfer Labels	55.67	VIEW>
Zebra	3004996	Zebra Z-Perform 1000D Uncoated Direct Thermal Labels (51 \times 25 mm)	89.00	VIEW>
Zebra	200807	Zebra Z-Perform 1000T 190 Tag 83×127 mm (1000 Labels per Roll)	46.33	VIEW>
Zebra	3005091	Zebra Z-Perform 1000T 100 \times 150 mm Uncoated Thermal Transfer Label	55.67	VIEW>
Zebra	880444-025	Zebra PolyE 3000T Gloss 50.8 x 25.4 mm Thermal Transfer Label	206.33	VIEW>
Zebra	66131	Zebra 8000T All-Temp 101.6 x 165.1mm Premium Coated Thermal Transfer Label	83.67	VIEW>
Zebra	880350-063	Zebra Z-Ultimate 3000T White Premium Gloss Polyester Thermal Transfer Labels (101.6 \times 63.5 mm)	282.33	VIEW>
Zebra	76015	Zebra Z-Ultimate 3000T Premium Gloss White Polyester Labels (76.2 \times 76.2 mm)	334.33	VIEW>
Zebra	880374-019	Zebra Z-Ultimate 3000T Silver Gloss Polyester Thermal Transfer Labels (57.15 \times 19.05 mm)	405.00	VIEW>
Zebra	76179	Zebra Z-Perform 1000T 101.6 x 63.5 mm Uncoated Thermal Transfer Labels	54.33	VIEW>
Zebra	87985	Zebra Z-Perform 1000T 102 \times 152 mm Uncoated Thermal Transfer Labels	55.67	VIEW>
Zebra	76536BQ6	Zebra Z-Ultimate 3000T 50.8 \times 25.4 mm 5249 Labels per Roll (White)	Call us	VIEW>

Memory Express Ltd 51 Park Royal Road, London, NW10 7LQ

Tel: 020 8453 9700

Web: www.memory-express.co.uk Email: sales@memory-express.co.uk



Zebra 110 XiIII High End Thermal Printer, 200 dpi 8 dot, 104mm Print Width, 16MB Ram, 4MB Flash, ZPL, Serial, Parallel, USB Cutter





Zebra	76523	Zebra Z-Perform 1000T 101.6 \times 101.6 mm Uncoated Thermal Transfer Labels	55.67	VIEW>
Zebra	880378-031	Zebra Z-Ultimate 3000T 70mm x 32mm (Silver)	447.67	VIEW>
Zebra	880026-203	Zebra Z-Perform 1000T 101.6 \times 203.2mm Uncoated Thermal Transfer Labels	58.33	VIEW>
Zebra	3005869	Zebra Z-Perform 1000T 74 \times 210 mm Uncoated Thermal Transfer Label	69.00	VIEW>
Bar code labe	ls			
Zebra	880170-076	Zebra Z-Select 2000D $102mm \times 76mm$ Premium topcoated direct thermal paper label with permanent adhesive	90.33	VIEW>
Zebra	76055	Zebra Z Trans 6P 76mm x 51mm Matt coated thermal transfer paper label with permanent adhesive	91.67	VIEW>
Zebra	880336-012	Zebra Z-Ultimate 5A Gloss Polyester Thermal Transfer Label (50.8mm \times 12.7mm)	51.67	VIEW>
Zebra	87394	Zebra Z Trans 5P 100mm \times 50mm Matt coated thermal transfer paper label with permanent adhesive	54.33	VIEW>
Zebra	76527	Zebra Z Trans 6P 76mm \times 76mm Matt coated thermal transfer paper label with permanent adhesive	94.33	VIEW>
Zebra	76060	Zebra Z Trans 6P 102×152 mm Matt coated thermal transfer paper label with permanent adhesive	77.00	VIEW>
Zebra	800640-305	Zebra Z-Select 2000T 102mm x 76mm Matt coated thermal transfer paper label with permanent adhesive	Call us	VIEW>
Zebra	800622-075	Zebra Z-Select 2000T 57 \times 19 mm Matt coated thermal transfer paper label with permanent adhesive	Call us	VIEW>
Zebra	880134-050	Zebra Z-Select 2000T 102mm x 51mm Matt coated thermal transfer paper label with permanent adhesive	78.33	VIEW>
Zebra	880170-101	Zebra Z-Select 2000D 102 \times 102 mm Premium topcoated direct thermal paper label with permanent adhesive	90.33	VIEW>
Zebra	880150-025	Zebra Z-Select 2000D $38mm \times 25mm$ Premium topcoated direct thermal paper label with permanent adhesive	110.33	VIEW>
Zebra	76054	Zebra Z Trans 6P 70mm x 32mm PlusE1202 mm Matt coated thermal transfer paper label with permanent adhesive	110.33	VIEW>
Zebra	87809	Zebra Direct 1100 Uncoated Direct Thermal Labels (101.6 mm $\scriptstyle\rm X$	63.67	VIEW>

152.4mm)

Tel: 020 8453 9700

Web: www.memory-express.co.uk Email: sales@memory-express.co.uk



Zebra 110 XiIII High End Thermal Printer, 200 dpi 8 dot, 104mm Print Width, 16MB Ram, 4MB Flash, ZPL, Serial, Parallel, USB Cutter





Zebra	76059	Zebra Z Trans 6P 102 mm \times 64mm Matt coated thermal transfer paper label with permanent adhesive	77.00	VIEW>
Zebra	76056	Zebra Z Trans 6P $83 \times 140 \text{ mm}$ Matt coated thermal transfer paper label with permanent adhesive	Call us	VIEW>
Zebra	800630-205	Zebra Z-Select 2000T 76mm \times 51mm Matt coated thermal transfer paper label with permanent adhesive	69.00	VIEW>
Zebra	880122-025	Zebra Z-Select 2000T $64mm \times 25mm$ Matt coated thermal transfer paper label with permanent adhesive	111.67	VIEW>
Zebra	880154-025	Zebra Z-Select 2000D 51×25 mm Premium topcoated direct thermal paper label with permanent adhesive	126.33	VIEW>
Zebra	880134-203	Zebra Z-Select 2000T $102 \text{mm} \times 203 \text{mm}$ Matt coated thermal transfer paper label with permanent adhesive	83.67	VIEW>
Zebra	200963	Zebra Direct 2100 $102\text{mm} \times 152\text{mm}$ Premium topcoated direct thermal paper label with permanent adhesive	91.67	VIEW>
Zebra	76058	Zebra Z Trans 6P 89mm \times 25mm Matt coated thermal transfer paper label with permanent adhesive	107.67	VIEW>
Zebra	880660-025	Zebra Z-Destruct PE 8000 Gloss Polyethylene Thermal Transfer Label (50.8 mm x 25.4 mm)	633.00	VIEW>
Zebra	76051	Zebra Z Trans 6P 51×25 mm Matt coated thermal transfer paper label with permanent adhesive	110.33	VIEW>
Zebra	800622-125	Zebra Z-Select 2000T 57mm x 32mm Matt coated thermal transfer paper label with permanent adhesive	Call us	VIEW>
Zebra	76528	Zebra Z Trans 6P 102 \times 102 mm Matt coated thermal transfer paper label with permanent adhesive	78.33	VIEW>
Zebra	800640-605	Zebra Z-Select 2000T 102mm \times 152mm Matt coated thermal transfer paper label with permanent adhesive	85.00	VIEW>
Zebra	800740-605	Zebra Z-Select 2000D 102 \times 152 mm Premium topcoated direct thermal paper label with permanent adhesive	111.67	VIEW>
Zebra	880134-127	Zebra Z-Select 2000T $102 \text{mm} \times 127 \text{mm}$ Matt coated thermal transfer paper label with permanent adhesive	74.27	VIEW>

About Memory Express

Although we started out selling just Memory the best part of fifteen years ago, we have diversified organically over the years at the request of our customers. We specialise in Networking, Storage and Disaster Recovery and have the knowledge, experience and strategic partnerships to provide you with the service and value you demand - quality products, reasonably priced and delivered on time.



Tel: 020 8453 9700

Web: www.memory-express.co.uk Email: sales@memory-express.co.uk



Zebra 110 XiIII High End Thermal Printer, 200 dpi 8 dot, 104mm Print Width, 16MB Ram, 4MB Flash, ZPL, Serial, Parallel, USB Cutter





Memory Express can offer you a full range of installation and configuration services for hardware and software as well as detailed, accurate advice on all aspects of your IT projects. You'll be glad to know that we don't have a room full of school leavers trying to sell products they don't understand - all our staff are seasoned IT specialists and have an average length of service of over ten years. We won't just push you towards the solution we feel like selling; we'll help you to find the one you need.

Meanwhile, online, we offer one of the largest product ranges of any UK IT supplier. Showing near live stock, in depth product information and keen pricing, we're sure you'll find what you need. We also have matched memory upgrades for over 50,000 models of computer, server, printer, phone and camera, guaranteeing you the right memory, first time. All this is backed up by the same great service you'd expect when dealing with us over the phone. For our regular business customers, we provide T3, our corporate purchasing portal which provides a truly corporate focused buying experience.

We're conveniently located in Park Royal, London's Technology Business Park, allowing us to reach all areas of the UK quickly and efficiently. Many of our City based corporate clients benefit from same day delivery and we can offer next day delivery to established customers throughout the British Isles. Online delivery tracking and status information means that you need not worry about the whereabouts of your order.

We're proud to have built up a wide variety of partnerships with quality vendors and many of our staff hold certifications from top tier manufacturers including Microsoft, Acronis, Symantec and VMWare.

Our clients vary in size from SMEs to many of the UK's largest corporates, government departments, schools and universities, and we're pleased to say that most have been our customers for many, many years - we believe in long term business relationships, not turning a quick profit. Why not contact us now to see how we can help you get the quality of service they already enjoy?