



memory express
020 8453 9700

Memory Express Ltd
51 Park Royal Road,
London,
NW10 7LQ

Tel: 020 8453 9700
Web: www.memory-express.co.uk
Email: sales@memory-express.co.uk



Axis P5512-E PTZ Outdoor Day Night Dome Network Camera (Europe UK)



No Image
Available

The outdoor-ready AXIS P5512-E PTZ Network Dome Camera is a compact and affordably priced day and night pan/tilt/zoom camera. It is suitable for surveillance applications in areas such as parking lots, construction sites and business premises. The camera enables users at a remote location to pan 360 for overview surveillance, tilt 180 and zoom in 12x with autofocus for detailed views. The Advanced Gatekeeper functionality enables the camera to automatically move to a preset position when motion is detected in a pre-defined area. Thanks to the camera's day/night functionality, high image quality is maintained even in low light conditions. AXIS P5512-E provides H.264 and Motion JPEG streams at full frame rate in 4CIF resolution (704x480 in 60 Hz, 704x576 in 50 Hz). H.264 greatly optimizes bandwidth and storage without compromising image quality. AXIS P5512-E supports standard Power over Ethernet for easy installation. The camera simply connects either to a PoE-enabled switch or via a PoE midspan to a switch with one network cable for carrying power, video and PTZ controls. The camera also has IP66 and NEMA 4X ratings, which ensure protection against dust, rain, snow, ice and corrosion. It can operate in temperatures from -20 C to 50 F (-4 F to 122 F).

Barcode	733102103316
Day/Night	Yes
CCD Size	1/4 Inches
Lens Type	Auto Focus Zoom
Varifocal	No
Optical Zoom	12x
Digital Zoom	4x
Memory Size	256MB
Flash Memory	128MB
Power over Ethernet (PoE)	Yes
Weatherproof	Yes
Vandal Resistant	No
Case Colour	White

Features

- * 360 pan with Auto-flip
- * 12x optical zoom
- * Day/night and H.264
- * Outdoor-ready: IP66- and NEMA 4X-rated protection against dust, rain and snow



Axis P5512-E PTZ Outdoor Day Night Dome Network Camera (Europe UK)



No Image Available

- * Easy installation including Power over Ethernet (IEEE 802.3af)
- * SD/SDHC slot for storing recordings locally
- * Network management features such as HTTPS encryption that does not affect performance, IPv6 and Quality of Service
- * Open Application Programming Interface (API) for software integration, including the ONVIF specification available at www.onvif.org, as well as VAPIX and AXIS Camera Application Platform from Axis Communications
- * Support for AXIS Video Hosting System (AVHS) with One-Click Camera connection

Specification

General

The outdoor-ready AXIS P5512-E PTZ Network Dome Camera is a compact and affordably priced day and night pan/tilt/zoom camera. It is suitable for surveillance applications in areas such as parking lots, construction sites and business premises. The camera enables users at a remote location to pan 360 for overview surveillance, tilt 180 and zoom in 12x with autofocus for detailed views. The Advanced Gatekeeper functionality enables the camera to automatically move to a preset position when motion is detected in a pre-defined area. Thanks to the camera's day/night functionality, high image quality is maintained even in low light conditions. AXIS P5512-E provides H.264 and Motion JPEG streams at full frame rate in 4CIF resolution (704x480 in 60 Hz, 704x576 in 50 Hz). H.264 greatly optimizes bandwidth and storage without compromising image quality. AXIS P5512-E supports standard Power over Ethernet for easy installation. The camera simply connects either to a PoE-enabled switch or via a PoE midspan to a switch with one network cable for carrying power, video and PTZ controls. The camera also has IP66 and NEMA 4X ratings, which ensure protection against dust, rain, snow, ice and corrosion. It can operate in temperatures from -20 C to 50 F (-4 F to 122 F).

Barcode 733102103316

Image Device

Day/Night	Yes
Image Sensor	CCD
CCD Size	1/4 Inches
Image Compression	Motion JPEG

Lens

Lens Type	Auto Focus Zoom
-----------	-----------------



memory express
020 8453 9700

Memory Express Ltd
51 Park Royal Road,
London,
NW10 7LQ

Tel: 020 8453 9700
Web: www.memory-express.co.uk
Email: sales@memory-express.co.uk



Axis P5512-E PTZ Outdoor Day Night Dome Network Camera (Europe UK)



No Image
Available

Varifocal	No
Focal Length	f=3.8 to 46mm
Aperture	F1.6 to 2.7
Optical Zoom	12x
Digital Zoom	4x

Exposure Balance

Shutter Speeds	4/3 to 1/150000 Seconds
Minimum Illumination	Colour 1.0 lux (lx) , Mono 0.3 lux (lx)

Positioning

Pan	360
Tilt	180

Video

Supported Video File Formats	MPEG-4, H.264
Video Resolution	704x480 to 176x120 (60 Hz) 704x576 to 176x144 (50 Hz)
Frame Rates	30/25 Per Second

CPU

Processor	Artpec-3
-----------	----------

Memory

Memory Size	256MB
Flash Memory	128MB

Interfaces Ports

External Microphone	External microphone input
RJ-45 Ports	1 x RJ-45

Network

Network Protocol	IPv4/v6, HTTP, HTTPS*, SSL/TLS*, QoS Layer 3 DiffServ, FTP, SMTP, Bonjour, UPnP, SNMPv1/v2c/v3 (MIB-II), DNS, DynDNS, NTP, RTSP, RTP, TCP, UDP, IGMP, RTCP, ICMP, DHCP, ARP, SOCKS
------------------	--



memory express
020 8453 9700

Memory Express Ltd
51 Park Royal Road,
London,
NW10 7LQ

Tel: 020 8453 9700
Web: www.memory-express.co.uk
Email: sales@memory-express.co.uk



Axis P5512-E PTZ Outdoor Day Night Dome Network Camera (Europe UK)



No Image
Available

Network Speeds Supported 10/100Mbps

System

Security Password protection, IP address filtering, HTTPS encryption, IEEE 802.1X network access control, digest authentication, user access log

Compliance

Certifications Approvals: EN 55022 Class B, EN 61000-3-2, EN 61000-3-3, EN 61000-6-1, EN 61000-6-2, EN 55024, FCC Part 15 Subpart B Class B, ICES-003 Class B, VCCI Class B, C-tick AS/NZS CISPR 22, EN 60950-1, KCC Class B; IEC 60529 IP66, NEMA 250 Type 4X; IEC 60721-4-3 Class 4K1, 4C3, 4M3, EN/IEC 60068-2

Environmental

Environmental Operating Temperature 20 to 50C - Humidity 20 to 80%

Electrical

Voltage/Power/Frequency 15.6W
Power over Ethernet (PoE) Yes
Power over Ethernet (PoE) Standards IEEE 802.3af

Physical

Internal/External Use External
Weatherproof Yes
Vandal Resistant No
Case Colour White
Pack Quantity 1
In The Box Axis P5512 PTZ Dome Network Camera Clear and smoked dome covers
Installation Guide CD with User Manual Recording software
Installation and management tools Windows decoder 1-user license
IP66-rated RJ-45 connector kit
Dimensions Weight 1.2kg



memory express
020 8453 9700

Memory Express Ltd
51 Park Royal Road,
London,
NW10 7LQ

Tel: 020 8453 9700
Web: www.memory-express.co.uk
Email: sales@memory-express.co.uk



Axis P5512-E PTZ Outdoor Day Night Dome Network Camera (Europe UK)



No Image Available

Options

Axis	5013-011	Axis Infra-red LED illuminator T90A01 50 DEG High Performance Illumination for all Conditions	Call us	VIEW>
------	----------	---	---------	-------

Other

Axis	0202-262	AXIS Camera Station 4 Or 10 License Base Pack	1506.49	VIEW>
Axis	0202-032	AXIS Camera Station IP Surveillance Software for Easy Recording and Monitoring 1 Channel Upgrade	79.99	VIEW>
Axis	0202-052	AXIS Camera Station IP Surveillance Software for Easy Recording and Monitoring	307.65	VIEW>
Axis	0202-022	AXIS Camera Station. IP Surveillance Software for Easy Recording and Monitoring 1 Year Upgrade	Call us	VIEW>
Axis	0202-012	AXIS Camera Station. IP Surveillance Software for Easy Recording and Monitoring 5 Channels Upgrade	383.53	VIEW>
Axis	0202-002	AXIS Camera Station. IP Surveillance Software for Easy Recording and Monitoring 10 Channels Upgrade (European)	762.98	VIEW>

Video networking equipment

Axis	0319-002	Axis P7701 Video Decoder Full-Featured Video Decoder with H.264 Support	314.36	VIEW>
------	----------	---	--------	-------

LAN Switches

Axis	5012-012	Axis PoE Midspan 16 Port - EUR	576.52	VIEW>
Axis	5012-002	Axis 8 Port PoE Midspan (EUR)	433.18	VIEW>

Touch Screen Monitors

Axis	5018-003	Axis T8412 Installation Display (UK)	Call us	VIEW>
Axis	5018-002	Axis T8412 Installation Display (European)	Call us	VIEW>

Keyboards

Axis	5020-301	AXIS T8313 Video Surveillance Jog Dial	294.05	VIEW>
------	----------	--	--------	-------



Axis P5512-E PTZ Outdoor Day Night Dome Network Camera (Europe UK)



No Image Available

Axis	5020-201	AXIS T8312 Video Surveillance Keypad	391.00	VIEW>
------	----------	--------------------------------------	--------	--------------------------

Game pads or joy sticks

Axis	5020-101	AXIS T8311 Video Surveillance Joystick	294.05	VIEW>
------	----------	--	--------	--------------------------

Control unit

Axis	5020-001	AXIS T8310 Video Surveillance Control Board	993.04	VIEW>
------	----------	---	--------	--------------------------

PDU's

Axis	0226-002	Axis 1 Port Power Over Ethernet Midspan (EUR)	Call us	VIEW>
------	----------	---	---------	--------------------------

Landscape or area lighting

Axis	5013-161	Axis T90A16 White LED Illuminator for all Axis Network Cameras (Includes Power Supply + Wall/Ceiling Bracket)	Call us	VIEW>
------	----------	---	---------	--------------------------

Axis	5013-321	Axis T90A32 Infra Red-LED 850nm Semi-Covert Illuminator (30-60 DEG)	Call us	VIEW>
------	----------	---	---------	--------------------------

Axis	5013-401	Axis T90A40 Infra Red Led Illuminator (120-180 DEG)	Call us	VIEW>
------	----------	---	---------	--------------------------

Axis	5013-371	Axis T90A37 White Light Led Illuminator (30-60 DEG)	Call us	VIEW>
------	----------	---	---------	--------------------------

Axis	5013-111	Axis T90A11 Infra Red Led Illuminators High Performance Illumination for all Conditions (Includes Power Supply + Wall/Ceiling Bracket)	Call us	VIEW>
------	----------	--	---------	--------------------------

Axis	5013-201	Axis T90A20 Infra Red Led Illuminator (120-180 DEG)	Call us	VIEW>
------	----------	---	---------	--------------------------

Axis	5013-211	Axis T90A21 Infra Red Led Illuminator (50-100 DEG)	Call us	VIEW>
------	----------	--	---------	--------------------------

Axis	5013-421	Axis T90A42 IR-LED Illuminator (30-60 DEG) for P33 Series with 12mm lens	Call us	VIEW>
------	----------	--	---------	--------------------------

Axis	5013-261	Axis T90A26 White Light Led Illuminator (50-100 DEG)	Call us	VIEW>
------	----------	--	---------	--------------------------

Axis	5013-331	Axis T90A33 Infra Red Led Illuminator (10-20 DEG)	Call us	VIEW>
------	----------	---	---------	--------------------------

Mounts

Axis	5017-641	AXIS T95A64 Corner Bracket	55.11	VIEW>
------	----------	----------------------------	-------	--------------------------

Axis	5017-621	Axis T95 A62 Ceiling Bracket	Call us	VIEW>
------	----------	------------------------------	---------	--------------------------

Axis	5017-611	Axis T95A61 Wall Bracket	Call us	VIEW>
------	----------	--------------------------	---------	--------------------------



memory express
020 8453 9700

Memory Express Ltd
51 Park Royal Road,
London,
NW10 7LQ

Tel: 020 8453 9700
Web: www.memory-express.co.uk
Email: sales@memory-express.co.uk



Axis P5512-E PTZ Outdoor Day Night Dome Network Camera (Europe UK)



No Image Available

Axis	5017-671	AXIS T91A67 Pole Bracket (Includes Steel Pole Straps) for AXIS Q6032-E PTZ Dome Network Camera	68.54	VIEW>
------	----------	---	-------	--------------------------

Projector Accessories

Axis	5017-631	Axis T91A63 Ceiling Bracket (includes Mounting Plate and Pendant Kit)	Call us	VIEW>
------	----------	--	---------	--------------------------

Axis	21776	AXIS Mounting Tool for Pole Bracket Steel Strap	106.84	VIEW>
------	-------	---	--------	--------------------------

Interconnect Cables

Axis	5502-491	AXIS Multi-Connector Cable for Power, Audio and I/O	84.11	VIEW>
------	----------	---	-------	--------------------------

About Memory Express

Although we started out selling just Memory the best part of fifteen years ago, we have diversified organically over the years at the request of our customers. We specialise in Networking, Storage and Disaster Recovery and have the knowledge, experience and strategic partnerships to provide you with the service and value you demand - quality products, reasonably priced and delivered on time.

Memory Express can offer you a full range of installation and configuration services for hardware and software as well as detailed, accurate advice on all aspects of your IT projects. You'll be glad to know that we don't have a room full of school leavers trying to sell products they don't understand - all our staff are seasoned IT specialists and have an average length of service of over ten years. We won't just push you towards the solution we feel like selling; we'll help you to find the one you need.

Meanwhile, online, we offer one of the largest product ranges of any UK IT supplier. Showing near live stock, in depth product information and keen pricing, we're sure you'll find what you need. We also have matched memory upgrades for over 50,000 models of computer, server, printer, phone and camera, guaranteeing you the right memory, first time. All this is backed up by the same great service you'd expect when dealing with us over the phone. For our regular business customers, we provide T3, our corporate purchasing portal which provides a truly corporate focused buying experience.

We're conveniently located in Park Royal, London's Technology Business Park, allowing us to reach all areas of the UK quickly and efficiently. Many of our City based corporate clients benefit from same day delivery and we can offer next day delivery to established customers throughout the British Isles. Online delivery tracking and status information means that you need not worry about the whereabouts of your order.

We're proud to have built up a wide variety of partnerships with quality vendors and many of our staff hold certifications from top tier manufacturers including Microsoft, Acronis, Symantec and VMWare.

Our clients vary in size from SMEs to many of the UK's largest corporates, government departments, schools and universities, and we're pleased to say that most have been our customers for many, many years - we believe in long term business relationships, not turning a quick profit. Why not contact us now to see how we can help you get the quality of service they already enjoy?